



ICY BOX IB-CR602M-C31

M.2 NVMe/SATA SSD enclosure with dual SD card reader

Key features

- For M.2 NVMe & SATA SSD in length 2280
- Dual card reader for 2x SD UHS-II 4.0 memory card
- Host connection via USB 3.2 Gen 2 Type-C® to Type-C®/A with up to 10 Gbit/s
- Thermal pad and heatsink for SSD cooling included
- Aluminium enclosure supports heat dissipation during SSD operation
- Type-C® to Type-A cable for power supply included



Packing content

- 1x IB-CR602M-C31
- 1x USB 3.2 Gen 2 Type-C® to Type-C®/A cable (40 cm)
- 1x Heatsink
- 1x Thermal pad
- 1x Screw
- 2x Rubber fixation
- 1x Screwdriver
- 1x PSU Type-C® to Type-A (90 cm)
- 1x Manual

Technical data

Model	IB-CR602M-C31
Article no.	61154
EAN code	4250078174882
Colour	Black
Material	Aluminium, plastic
Interface to host computer	USB 3.2 Gen 2 Type-C®
Card slots	2x SD 4.0 (UHS-II)
Interface	1x M.2 M-Key (NVMe & SATA) 22x 80 mm

Transfer rate	Up to 10 Gbit/s
LED	Power and access
Multi-LUN	Yes
Power supply	PSU with 90 cm Type-C® to Type-A cable
Operating system	Windows®, macOS®
System requirements	Computer with USB 3.2 Gen 2 Type-C® or Type-A port



ICY BOX **IB-CR602M-C31** M.2 NVMe/SATA SSD enclosure with dual SD card reader



Dual SD memory card reader

This enclosure has two SD card slots that support UHS-II 4.0, a unique feature not commonly found in SSD enclosures. Perfect for those who work with media on the go, it provides easy access to stored files, images, or videos directly in your workspace.



NVMe and SATA SSD

Built to support both NVMe and SATA SSDs in the standard 2280 size, this enclosure offers fast transfer, operating with the USB 3.2 Gen 2 standard that can handle rates as high as 10 Gbit/s. The speed and compatibility with both SSD types make it a great fit for users who need quick data processing.



Cooling

Built with a heatsink and aluminium housing with thermal fins, the enclosure ensures optimal cooling, keeping your SSD and memory card at a safe temperature during heavy use. This design prevents overheating, extending the lifespan of your storage devices and maintaining consistent performance.

Logistical data

Packing unit: xxx pcs. / carton
Total weight: xx.42 kg
Gross weight (with packing): 0.xxx kg
Net weight: 0.xx kg

Dimension/carton: xxx mm
Dimension (with packing): xxx mm
Dimension of article: xxx mm
Country of origin: Taiwan